Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1058	poll\$3 with rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814" or @rlpn<"19970814")	US-PGPUB; USPAT	OR	ON	2005/03/04 14:00
S2	169	poll\$3 with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814" or @rlpn<"19970814")	US-PGPUB; USPAT	OR	ON	2005/03/04 14:01
S3	66	poll\$3 with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814" or @rlpn<"19970814") and wireless	US-PGPUB; USPAT	OR	ON .	2005/03/04 14:08
S4	66	(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814" or @rlpn<"19970814") and wireless	US-PGPUB; USPAT	OR .	ON	2005/03/04 14:09
S5	66	(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814") and wireless	US-PGPUB; USPAT	OR	ON	2005/03/04 14:14
S6	32	(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and @ad<"19970814" and wireless	US-PGPUB; USPAT	OR	ON	2005/03/04 14:09
S7		(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814") and "370". clas,	US-PGPUB; USPAT	OR	ON	2005/03/04 14:14
S8		(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814") and "370".clas.	US-PGPUB; USPAT	OR	ON	2005/03/04 14:57

S9	1	(polling\$1 or poll\$1) with rate same (increas\$3 and decreas\$3) with poll\$3 with rate and (@ad<"19970814") and "370". clas.	US-PGPUB USPAT	; OR	ON	2005/03/04 14:50
S10	41	(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or reduc\$3) with poll\$3 with rate and (@ad<"19970814") and "370", clas.	US-PGPUB; USPAT	OR	ON.	2005/03/04 14:15
S11	9	(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or reduc\$3) with poll\$3 adj3 rate and (@ad<"19970814") and "370". clas.	US-PGPUB; USPAT	OR	ON	2005/03/04 14:16
S12	11	(polling\$1 or poll\$1) with rate same (increas\$3 or decreas\$3 or adjust\$3 or reduc\$3) with poll\$3 adj3 rate and (@ad<"19970814") and "370".clas.	US-PGPUB; USPAT	OR	ON	2005/03/04 14:20
S40	2	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near3 rate and @ad<"19970814" and "370".clas.	US-PGPUB; USPAT	OR	ON	2005/03/04 15:10
S41	1	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near3 rate and @ad<"19970814" and "370".clas. and "5276680".pn. and poll\$3	US-PGPUB; USPAT	OR	ON	2005/03/04 15:13
S42	9	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near3 rate and @ad<"19970814" and poll\$3	US-PGPUB; USPAT	OR	ON	2005/03/04 15:14
S43	8	S42 not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:27
S44	11	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near3 rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814" or @rlpn<"19970814") and poll\$3	US-PGPUB; USPAT	OR	ON	2005/03/04 15:27

S45	10	S44 not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:14
S49	13	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near5 rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814" or @rlpn<"19970814") and poll\$3	US-PGPUB; USPAT	OR	ON	2005/03/04 15:48
S50	12	S49 not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:48
S53	13	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near5 rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814") and poll\$3	US-PGPUB; USPAT	OR	ON	2005/03/04 15:36
S54	13	(polling\$1 or poll\$1) with rate same (increas\$3 and (decreas\$3 or reduc\$3)) with poll\$3 near5 rate and (@ad<"19970814" or @rlad<"19970814" or @rlan<"19970814") and poll\$3	US-PGPUB; USPAT	OR	ON	2005/03/04 15:48
S55	12	S54 not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:48